

SEQUENCE LISTING

<110> HAKENBECK, Regine

<120> DNA PROBES, METHOD AND KIT FOR IDENTIFYING
ANTIBIOTIC-RESISTANT STRAINS OF BACTERIA

<130> 012627-011

<140> 09/403,609

<141> 2000-03-03

<150> PCT/DE98/01134

<151> 1998-04-22

<150> DE 197 17 346.2

<151> 1997-04-24

<160> 25

<170> PatentIn Ver. 2.0

<210> 1

<211> 17

<212> DNA

<213> Streptococcus pneumoniae

<400> 1

agtcagcaac gggtaag

17

<210> 2

<211> 17

<212> DNA

<213> Streptococcus pneumoniae

<400> 2

aacgaacgat ggacggt

17

<210> 3

<211> 18

<212> DNA

<213> Streptococcus pneumoniae

<220>

<221> misc_feature

<222> (10)

<223> Nucleotide at position 10 is n wherein n is any
nucleotide but preferably c.

<400> 3

catttcagn cccctcca

18

<210> 4

<211> 17

<212> DNA

<213> Streptococcus pneumoniae

<400> 4

tgcagatgcc acgattc	17
<210> 5	
<211> 17	
<212> DNA	
<213> Streptococcus pneumoniae	
<400> 5	
ctggtcagct tcctgcg	17
<210> 6	
<211> 20	
<212> DNA	
<213> Streptococcus pneumoniae	
<400> 6	
tggttatcta gtcggggttaa	20
<210> 7	
<211> 17	
<212> DNA	
<213> Streptococcus pneumoniae	
<400> 7	
ctgtatcgat gagtccg	17
<210> 8	
<211> 19	
<212> DNA	
<213> Streptococcus pneumoniae	
<400> 8	
aacagttctg ctgaagaag	19
<210> 9	
<211> 18	
<212> DNA	
<213> Streptococcus pneumoniae	
<400> 9	
taggagcacg ccatcagt	18
<210> 10	
<211> 18	
<212> DNA	
<213> Streptococcus pneumoniae	
<400> 10	
gacgaaatgc ctatcttg	18
<210> 11	
<211> 19	
<212> DNA	
<213> Streptococcus pneumoniae	
<400> 11	
ctctcaattt gtagcacct	19

<210> 12
 <211> 19
 <212> DNA
 <213> Streptococcus pneumoniae

 <400> 12
 ctatttctaac cgtctgaca 19

 <210> 13
 <211> 20
 <212> DNA
 <213> Streptococcus pneumoniae

 <400> 13
 atcaaataacc tatatggtcc 20

 <210> 14
 <211> 19
 <212> DNA
 <213> Streptococcus pneumoniae

 <220>
 <221> misc_feature
 <222> (10)..(19)
 <223> Nucleotides at positions 10 and 19 are n wherein n
 is any nucleotide but preferably c.

 <400> 14
 tggagaatan ttcaatagn 19

 <210> 15
 <211> 20
 <212> DNA
 <213> Streptococcus pneumoniae

 <400> 15
 gtctacttga acaaaaaaatg 20

 <210> 16
 <211> 18
 <212> DNA
 <213> Streptococcus pneumoniae

 <400> 16
 ttagttggga cggaccct 18

 <210> 17
 <211> 18
 <212> DNA
 <213> Streptococcus pneumoniae

 <220>
 <221> misc_feature
 <222> (6)..(7)
 <223> Nucleotides at positions 6 and 7 are n wherein n
 is any nucleotide but preferably g.

 <400> 17

gtaacnnttc aacagcct	18
<210> 18	
<211> 19	
<212> DNA	
<213> Streptococcus pneumoniae	
<220>	
<221> misc_feature	
<222> (7)	
<223> Nucleotide at position 7 is n wherein n is any nucleotide but preferably t.	
<400> 18	
ctccgancaa tacgtctct	19
<210> 19	
<211> 20	
<212> DNA	
<213> Streptococcus pneumoniae	
<220>	
<221> misc_feature	
<222> (10)	
<223> Nucleotide at position 10 is n wherein n is any nucleotide but preferably g.	
<400> 19	
gctccagatn aaatgtttgt	20
<210> 20	
<211> 19	
<212> DNA	
<213> Streptococcus pneumoniae	
<400> 20	
aggagaagtc tttaatagt	19
<210> 21	
<211> 20	
<212> DNA	
<213> Streptococcus pneumoniae	
<400> 21	
ccctccttga gcaaaagatg	20
<210> 22	
<211> 18	
<212> DNA	
<213> Streptococcus pneumoniae	
<400> 22	
ttggtaggga cggatccg	18

<210> 23
<211> 18
<212> DNA
<213> Streptococcus pneumoniae

<400> 23
gtgacggtcc aacaacct

18

<210> 24
<211> 19
<212> DNA
<213> Streptococcus pneumoniae

<400> 24
tacagacgaa tacgttgcc

19

<210> 25
<211> 20
<212> DNA
<213> Streptococcus pneumoniae

<400> 25
gcacctgatg aactatttgc

20